




ABS Everlast ZU-1000



ABS Safety GmbH

Gewerbering 3
47623 Kevelaer
Deutschland

SERVICE

Telefon: +49 (0) 28 32 - 9 72 81 - 0
Telefax: +49 (0) 28 32 - 9 72 81 - 29

www.absturzicherung.de
www.fall-arrest.eu
www.absfallprotection.com

MoA-134-03



0756

BTV Bautechnik Vertriebs-GmbH
Gartenstr. 43/1
72764 Reutlingen
11

0756-CPD-0407

ETA-11/0217

ETAG 001-5, Option 7

ABS Montagemörtel ZU-1000, ZU-1017
= BTV Injektionssystem KM





ABS Everlast


ZU-1000




Tab. 1	°C
	
0	/
+ 5	13 Min.
+ 10	9 Min.
+ 20	5 Min.
+ 30	4 Min.
+ 40	2 Min.


Tab. 2	°C
	
- 5 - 0	24 h*
0 - + 5	180 Min.*
+ 5 - + 10	90 Min.*
+ 10 - + 20	60 Min.*
+ 20 - + 30	45 Min.*
+ 30 - + 40	35 Min.*




Tab. 3a	Ø		STAHL STEEL
	M12	14 mm	16 mm
Beton, Kalksandvollstein	M16	18 mm	20 mm
	M22	24 mm	26 mm

Tab. 3b	Ø		STAHL STEEL	+
	M10	22 mm	24 mm	✓
Kalksandlochstein, Vollziegel, Hohlblockstein aus Beton	M12	22 mm	24 mm	✓
	M16	22 mm	24 mm	✓
	M22	24 mm	26 mm	✓


1




2a




2b




2c



3




2/3



Tab. 1

4



Tab. 2

